

### FEATURES

- Level switch (double level probes available)
- Foot valve and foot filter
- Adjustable height
- 1 1/2" pipe fitting
- PVC or PVDF (LASP6) body
- Output (1/2" fitting)
- Up to 2 suction input available
- Lasp4 available also for tank installation

### SPECIFICATIONS



| MODELS |                                                                   |
|--------|-------------------------------------------------------------------|
| LASP4  | LASP4 - For pumps up to 10l/h. Fittings 1/2"                      |
| LASP5  | LASP5 - For pumps from 10 to 140 l/h. Fittings 1/2"               |
| LASP6  | LASP6 - PVDF suction lance. For pumps up to 10l/h. Fittings 1/2". |

| O-RING |                    |
|--------|--------------------|
| V      | FKM B              |
| D      | Ethylene Propylene |

| LENGTH cm |     |
|-----------|-----|
| 040       | 40  |
| 063       | 63  |
| 075       | 75  |
| 095       | 95  |
| 108       | 108 |
| 122       | 122 |

| INPUTS (suction) |   |
|------------------|---|
| 1                | 1 |
| 2                | 2 |

| FITTING AND HOSE |                     |
|------------------|---------------------|
| 3                | 1/2" and 4x6        |
| 4                | 1/2" and 6x8 / 8x12 |
| A                | 1/2" and 8x10       |

| LEVEL - CONTACT - CONNECTOR                       |                                    |
|---------------------------------------------------|------------------------------------|
| 0                                                 | Level - N.O. contact - BNC         |
| 1                                                 | Level - N.O. contact - without BNC |
| 4                                                 | without level                      |
| 5                                                 | 2 levels at 20cm* - BNC            |
| 7                                                 | 2 levels at 20cm* - without BNC    |
| 8                                                 | 2 levels at 10cm* - without BNC    |
| * Specify on order the distance between 2 levels. |                                    |


Model **LASP4** **V** **040** **3** **1** **Z** **0** **3,5** **0**

| FILTER |                      |
|--------|----------------------|
| 0      | EMEC filter (LASP3)  |
| 1      | ILMAP filter (LASP1) |

DIMENSIONS


| OPERATING LENGHT | TANK VOLUME                |
|------------------|----------------------------|
| 40 cm            | 50 lt (mod. CNT PD 50)     |
| 63 cm            | 120 lt (mod. CNT PD 120)   |
| 75 cm            | 250 lt (mod. CNT PD 250)   |
| 108 cm           | 500 lt (mod. CNT PD 500)   |
| 122 cm           | 1000 lt (mod. CNT PD 1000) |

LASP5




| LASP5 |      |
|-------|------|
| A     | B    |
| 400   | 505  |
| 630   | 735  |
| 750   | 855  |
| 1080  | 1185 |
| 1220  | 1345 |

LASP4




| LASP4 |      |
|-------|------|
| A     | B    |
| 400   | 510  |
| 630   | 740  |
| 750   | 860  |
| 1080  | 1190 |
| 1220  | 1330 |

LASP6



| LASP6 |  |
|-------|--|
| A     |  |
| 400   |  |
| 630   |  |
| 750   |  |
| 1080  |  |
| 1220  |  |

LASP4 tank version



| MODELS                    | Body | O-Ring | Suction fitting   | Pipe fitting | Operating length (cm)                      |
|---------------------------|------|--------|-------------------|--------------|--------------------------------------------|
| LASP4/V <sup>3</sup> tank | PVC  | FKM B  | 1/2" per tubi 4x6 | M38x2        | 40 (LASP4/V40 tank)<br>63 (LASP4/V63 tank) |
| LASP4/D <sup>3</sup> tank | PVC  | EP     | 1/2" per tubi 4x6 | M38x2        | 40 (LASP4/D40 tank)<br>63 (LASP4/D63 tank) |